



# RICHIE BRACE® PRESCRIPTION FORM

**DPM Orthotics, Inc.**  
Better Foot Health...One Step at a Time

1519 Enterprise Way, Suite H  
Kent, OH 44240  
(877) 673-0334

**ACCT #: 700014**

## DOCTOR & PATIENT INFORMATION

Doctor Name: \_\_\_\_\_  
Address: \_\_\_\_\_  
City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_

Patient Name: \_\_\_\_\_  Male  Female Age: \_\_\_\_\_  
Height: \_\_\_\_\_ Weight: \_\_\_\_\_  
Shoe Size: \_\_\_\_\_ Shoe Type: \_\_\_\_\_ Shoes Enclosed:  Yes  No

Cast enclosed for  Left  Right  B/L  
**PLEASE MARK MEDIAL AND LATERAL MALLEOLI ON NEGATIVE CAST!**

## DIAGNOSIS:

## RICHIE BRACE® PRESCRIPTION

- RICHIE BRACE® (standard):** Full Flexion Ankle Hinge Pivot.  
Can include enhancements for Posterior Tibial Tendon Dysfunction (check any or all):  
 Medial Heel Skive  4mm  6mm  **Navicular Accommodation** **MUST BE MARKED ON NEGATIVE CAST**  
 Adjust Limb Uprights for Tibial Varum  Yes  No (see measurements above)  
 FOR SEVERE PTTD, RECOMMENDED MEDIAL ARCH SUSPENDER (SEE BELOW)  
**SPECIAL MODIFIED VERSIONS OF STANDARD RICHIE BRACE®:**  
 **RICHIE SOCCER BRACE®** - Includes shin guard.  
 **LITTLE RICHIE BRACE®** - Pediatric application for shoe size 4 and under.

- RICHIE BRACE® RESTRICTED ANKLE PIVOT:** Limits ankle motion, yet allows smooth contact phase of gait.  
 Indications: DJD ankle & STJ, tarsal coalition, mild Charcot, lateral ankle instability, peroneal tendinopathy.  
**ENHANCEMENTS (optional):**  
 **MEDIAL ARCH SUSPENDER** – Adjustable lifting strap under talo-navicular joint for severe PTTD  
 **LATERAL ARCH SUSPENDER** – Adjustable lifting strap under calcaneal-cuboid joint for peroneal tendinopathy and severe lateral ankle instability.

- RICHIE BRACE® DYNAMIC ASSIST:** Full flexion pivot with spring hinges for dorsiflexion assist.  
 Patient requirements: 1. Dropfoot 2. Ankle dorsiflexion to at least 90° to leg 3. Stable knee **(must have all 3)**

- RICHIE BRACE® SOLID AFO:** Traditional full leg posterior shell w/balanced functional orthotic footplate.  
 Indications: Dropfoot with unstable knee, dropfoot with spasticity, Charcot Arthropathy.  
**STS Bermuda Casting Sock Required**

- RICHIE GAUNTLET®**  7"  9"  
 **RICHIE CALIFORNIA®**  
 GAUNTLET AND CALIFORNIA COLOR OPTION -  TAN  CHOCOLATE  
**AN STS MID LEG SOCK IS REQUIRED FOR BOTH THE GAUNTLET & CALIFORNIA**

## ALL RICHIE BRACES® HAVE THE FOLLOWING STANDARD FEATURES:

- |                       |  |  |
|-----------------------|--|--|
| ◆ Top Cover – Implus® | ◆ Cover Length - Mets                                      | ◆ Limb Uprights Supports – Aligned Perpendicular to Foot Plate |
| ◆ Color – Black       | ◆ Orthotic Foot Plate – Intrinsic Balance to Perpendicular | ◆ Heel Stabilizer Bar - Included                               |
| ◆ Heel Cup – 35mm     |  |  |

COLOR OPTION -  FLESH TONE  WHITE

## RICHIE BRACE® MODIFICATIONS

NOTE: NON-STANDARD BRACE MODIFICATIONS MAY HAVE EXTRA CHARGES – SEE PRICING SHEET

Top Cover	Length	Heel Cup	Medial Heel Skive
<input type="checkbox"/> Implus (standard)	<input type="checkbox"/> to Mets (standard)	<input type="checkbox"/> 10 mm	For severe pronation control
<input type="checkbox"/> Spenco	<input type="checkbox"/> to Sulcus	<input type="checkbox"/> 14 mm	<input type="checkbox"/> 2mm
<input type="checkbox"/> EVA	<input type="checkbox"/> to Toes	<input type="checkbox"/> 18 mm	<input type="checkbox"/> 4mm
<input type="checkbox"/> Diabetic (Plastazote/Poron)	<input type="checkbox"/> add poron cushion to extension	<input type="checkbox"/> 35 mm (standard)	<input type="checkbox"/> 6mm

## CAST AND ORTHOTIC MODIFICATIONS

- |   |   |  |
|---|---|--|
| <input type="checkbox"/> Heel Lift _____ (inch) | <input type="checkbox"/> <b>Orthotic Plate Accommodation (MUST BE MARKED ON CAST)</b> | Forefoot Posting _____ ° Varus _____ ° Valgus                              |
| <input type="checkbox"/> Add Medial Arch Flange | <input type="checkbox"/> Navicular <input type="checkbox"/> Medial Fascia Band        | <b>Note:</b>   |
| <input type="checkbox"/> Add Lateral Clip       | <input type="checkbox"/> Styloid 5 <sup>th</sup> Met <input type="checkbox"/> Other:  | Not recommended as this will tilt entire brace to exact degree of posting. |

## SPECIAL INSTRUCTIONS:

**Accommodation location(s):**  
(mark on illustration and on cast)

